

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31 Printing date 20.10.2014 Version number 2 Revision: 20.10.2014 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: SABLE N[•]1 *S1-3* · Article number / formula: S1-3 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the preparation : Preparation for glass application · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SARL d'exploitation des ateliers Debitus 24 rue de la Bourde 37000 Tours Tél: 02.47.37.99.80 Fax: 02.47.39.67.34 http://www.debitus.com e-mail: vitrail@debitus.com · 1.4 Emergency telephone number: NHS Direct: 0845 46 47 / Fax: 0845 606 46 47 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 : GHS08 Suspected of causing cancer. Carc. 2 H351 Repr. 1A H360Df May damage the unborn child. Suspected of damaging fertility. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS09 Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07 Acute Tox. 4 H302 Harmful if swallowed. H332 Harmful if inhaled. Acute Tox. 4 Classification according to Directive 67/548/EEC or Directive 1999/45/EC : T; Toxic R61: May cause harm to the unborn child. Xn; Harmful

R62-20/22-40-48:

Possible risk of impaired fertility. Harmful by inhalation and if swallowed. Limited evidence of a carcinogenic effect. Danger of serious damage to health by prolonged exposure.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

rinting date 20.10	0 2014	Version number 2	Revision: 20.10.2014
	J.2014	version number 2	<i>Revision.</i> 20.10.201
rade name: SAB S1-3			
			(Contd. of page
N; Dang	erous for the environm	ent	
R51/53:	<i>Toxic to aquat</i> environment.	tic organisms, may cause long-terr	n adverse effects in the aquation
The product h "General Clas • Classification	has to be labelled in t sification guideline for system:	hazards for human and environment: he latest valid version according to preparations of the EU" .	the calculation procedure of th
The classificat data.	tion is according to the	e latest editions of the EU-lists, and e	xtended by company and literatur
· 2.2 Label elen	nents		
	ording to Regulation (I	EC) No 1272/2008	
		according to the CLP regulation.	
· Hazard pictog	rams		
^	A A		
	ALL ALL		
GHS07 GH	HS08 GHS09		
· Signal word D	Danger		
-	-	1.1.11.	
	nining components of	labelling:	
Métasilicate d	2		
lead monoxide			
lead monoxide • Hazard statem	ients		
lead monoxide • Hazard statem		r if inhaled.	
lead monoxide • Hazard statem H302+H332 H	1ents Harmful if swallowed o		
lead monoxide • Hazard statem H302+H332 H H351 S	tents Harmful if swallowed o Suspected of causing ca	incer.	у.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M	tents Harmful if swallowed o Suspected of causing ca May damage the unborn	incer. n child. Suspected of damaging fertilit	
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M	tents Harmful if swallowed o Suspected of causing ca May damage the unborn May cause damage to o	incer. n child. Suspected of damaging fertilit rgans through prolonged or repeated	
lead monoxide • Hazard statem H302+H332 H H351 S H360Df M H373 M H411 7	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit	incer. n child. Suspected of damaging fertilit rgans through prolonged or repeated	
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit o statements	ncer. n child. Suspected of damaging fertilit rrgans through prolonged or repeated h long lasting effects.	
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit s statements Keep out of reach	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children.	
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe da	incer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray.	
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273	tents Harmful if swallowed o. Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit statements Keep out of reach Do not breathe da Avoid release to t	incer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. n of children. ust/fume/gas/mist/vapours/spray. the environment.	exposure.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to to Wear protective g	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. n of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protecti	exposure.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit statements Keep out of reach Do not breathe da Avoid release to to Wear protective g Wash hands thord	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. n of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protectio oughly after handling.	exposure.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit statements Keep out of reach Do not breathe da Avoid release to t Wear protective g Wash hands thord Use only outdoor	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. n of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protectio oughly after handling. rs or in a well-ventilated area.	exposure.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit statements Keep out of reach Do not breathe da Avoid release to th Wear protective g Wash hands thoro Use only outdoor IF SWALLOWED	ncer. n child. Suspected of damaging fertilit organs through prolonged or repeated th long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protection oughly after handling. rs or in a well-ventilated area. D: Immediately call a doctor.	exposure. on/face protection.
lead monoxide • Hazard statem H302+H332 H H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe da Avoid release to t Wear protective g Wash hands thoro Use only outdoor IF SWALLOWED IF INHALED: Re	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protection oughly after handling. rs or in a well-ventilated area. D: Immediately call a doctor. remove person to fresh air and keep con	exposure. on/face protection. nfortable for breathing.
lead monoxide • Hazard statem H302+H332 H H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+H	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Foxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to t Wear protective g Wash hands thore Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protection oughly after handling. rs or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep com D: rinse mouth. Do NOT induce vomiti	exposure. on/face protection. nfortable for breathing.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+F P314	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to to Wear protective g Wash hands thord Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protection oughly after handling. rs or in a well-ventilated area. D: Immediately call a doctor. remove person to fresh air and keep con	exposure. on/face protection. nfortable for breathing.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+F P314 P391	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to to Wear protective g Wash hands thord Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis Collect spillage.	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protection oughly after handling. rs or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep com D: rinse mouth. Do NOT induce vomiti	exposure. on/face protection. nfortable for breathing.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+F P314 P391 P405	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to to Wear protective g Wash hands thord Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis Collect spillage. Store locked up.	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protectio oughly after handling. s or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep con D: rinse mouth. Do NOT induce vomiti ce/attention if you feel unwell.	exposure. on/face protection. mfortable for breathing. ng.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+F P314 P391	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life with statements Keep out of reach Do not breathe du Avoid release to to Wear protective g Wash hands thord Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis Collect spillage. Store locked up. Dispose of conte	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protection oughly after handling. rs or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep com D: rinse mouth. Do NOT induce vomiti	exposure. on/face protection. mfortable for breathing. ng.
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+F P314 P391 P405	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to to Wear protective g Wash hands thoro Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis Collect spillage. Store locked up. Dispose of conte regulations.	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protectio oughly after handling. s or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep con D: rinse mouth. Do NOT induce vomiti ce/attention if you feel unwell.	exposure. on/face protection. mfortable for breathing. ng.
lead monoxide • Hazard statem H302+H332 H H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+H P314 P391 P405 P501 • Additional inf	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to t Wear protective g Wash hands thorn Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis Collect spillage. Store locked up. Dispose of conte regulations.	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated h long lasting effects. h of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protectio oughly after handling. s or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep con D: rinse mouth. Do NOT induce vomiti ce/attention if you feel unwell.	exposure. on/face protection. mfortable for breathing. ng. eal/regional/national/internationa
lead monoxide • Hazard statem H302+H332 F H351 S H360Df M H373 M H411 T • Precautionary P102 P260 P273 P280 P264 P271 P301+P310 P304+P340 P301+P330+F P314 P391 P405 P501 • Additional inf Contains lead.	tents Harmful if swallowed of Suspected of causing ca May damage the unborn May cause damage to o Toxic to aquatic life wit statements Keep out of reach Do not breathe du Avoid release to t Wear protective g Wash hands thorn Use only outdoor IF SWALLOWED IF INHALED: Re P331 IF SWALLOWED Get medical advis Collect spillage. Store locked up. Dispose of conte regulations.	ncer. n child. Suspected of damaging fertilit rgans through prolonged or repeated th long lasting effects. n of children. ust/fume/gas/mist/vapours/spray. the environment. gloves/protective clothing/eye protectio oughly after handling. so or in a well-ventilated area. D: Immediately call a doctor. emove person to fresh air and keep con D: rinse mouth. Do NOT induce vomiti ce/attention if you feel unwell.	exposure. on/face protection. mfortable for breathing. ng. eal/regional/national/internationa



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 20.10.2014

Page 3/9

Trade name: SABLE N•1 S1-3

(Contd. of page 2)

• 2.3 Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 1317-36-8	lead monoxide	10-25%
EINECS: 215-267-0	🧕 T Repr. Cat. 1, 2 R61; 🗙 Xn R62-20/22; 🌄 N R50/53	
Index number: 082-001-00-6		
RTECS: OG 1750000	Repr. 1A, H360Df; STOT RE 2, H373; 🔶 Aquatic Acute 1,	
	H400; Aquatic Chronic 1, H410; (Acute Tox. 4, H302; Acute Tox.	
	<i>4, H332</i>	
CAS: 1344-28-1	aluminium oxide	10-25%
EINECS: 215-691-6		
RTECS: BD 1200000		
· SVHC		
1317-36-8 lead monoxide		

• Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After excessive inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed :
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed :
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot 5.2 Special hazards arising from the substance or mixture :
- Formation of toxic gases is possible during heating or in case of fire. do not inhale steam of combustion

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 20.10.2014

Trade name: SABLE N[•]1 *S1-3*

· 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures : Not required.
- · 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections : See Section 7 for information on safe handling. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling :

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of dust.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any signifiant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information:
- As a basis for the production of this document, the most current valid lists were used.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from food, beverages and petfood. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

(Contd. on page 5)

GB

(Contd. of page 3)

Page 4/9



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

 Printing date 20.10.2014
 Version number 2
 Revision: 20.10.2014

 Trade name: SABLE N°1
 S1-3

· Respiratory protection:

(Contd. of page 4)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

· Gloves material :

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

• Eye protection: Not required.

SECTION 9: Physical a	and chemical properties	
· General Information	vsical and chemical properties	
· Appearance: Form:	Crystalline powder	
Colour:	According to product specification	
· Odour:	Characteristic	
· pH-value at 20 °C:	7-8	
 Change in condition Melting point/Melting rang Boiling point/Boiling rang 		
· Flash point:	Not applicable.	
· Ignition temperature:	370 °C	
· Self-igniting:	Product is not self igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Density at 20 •C:	9.6 g/cm ³	
 Solubility in / Miscibility with water: 9.2 Other information : 	h Insoluble. No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions : No dangerous reactions known.
 - 10.4 Conditions to avoid : No further relevant information available.

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 20.10.2014

Trade name: SABLE Nº1

S1-3

(Contd. of page 5)

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eyes: No irritant effect.
- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 2, Repr. 1A

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability : No further relevant information available.
- · 12.3 Bioaccumulative potential : No further relevant information available.
- · 12.4 Mobility in soil : No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects : No further relevant information available.

(Contd. on page 7)

GB





Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 20.10.2014

0

Trade name: SABLE N•1 S1-3

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN2291
· 14.2 UN proper shipping name · ADR	2291 LEAD COMPOUND, SOLUBLE, N.O., (Métasilicate de plomb, lead monoxide ENVIRONMENTALLY HAZARDOUS
IMDG IATA	LEAD COMPOUND, SOLUBLE, N.O.S. (lead monoxide MARINE POLLUTANT LEAD COMPOUND, SOLUBLE, N.O.S.
· 14.3 Transport hazard class(es)	, , ,
ADR	
Class Label	6.1 (T5) Toxic substances. 6.1
IMDG	
· Class	6.1 Toxic substances.
Label	6.1
IATA	
· Class	6.1 Toxic substances.
· Label	6.1



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 20.10.2014 Trade name: SABLE N[•]1 \$1.3 (Contd. of page 7) · 14.4 Packing group · ADR. IMDG. IATA Ш · 14.5 Environmental hazards: Product contains environmentally hazardous substances: lead monoxide No · Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR): · 14.6 Special precautions for user Warning: Toxic substances. · Danger code (Kemler): 60 · EMS Number: F-A, S-AHeavy metals and their salts (including their · Segregation groups organometallic compounds), lead and its compounds · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR \cdot Limited quantities (LQ) 5 kg \cdot Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g · Transport category 2 • Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 5 kgCode: E1 • Excepted quantities (EQ) *Maximum net quantity per inner packaging: 30 g* Maximum net quantity per outer packaging: 1000 g UN2291, LEAD COMPOUND, SOLUBLE, N.O.S. · UN ''Model Regulation'': (Métasilicate de plomb, lead monoxide), ENVIRONMENTALLY HAZARDOUS, 6.1, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

1317-36-8 lead monoxide

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 20.10.2014

Trade name: SABLE N°1 S1-3

	(Contd. of pa
Relevan	t phrases
	Harmful if swallowed.
	Harmful if inhaled.
	May damage the unborn child. Suspected of damaging fertility.
	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R20/22	Harmful by inhalation and if swallowed.
R33	Danger of cumulative effects.
	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R61	May cause harm to the unborn child.
R62	Possible risk of impaired fertility.
	ations and acronyms:
	ord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internat
	of Dangerous Goods by Road) ternational Maritime Code for Dangerous Goods
	ernational Air Transport Association
	bally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
	mical Abstracts Service (division of the American Chemical Society)
	. 4: Acute toxicity, Hazard Category 4
	Carcinogenicity, Hazard Category 2
	Reproductive toxicity, Hazard Category 1A 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
	2: Specific larger organ toxicity - Repeated exposure, Hazara Calegory 2 cute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
	hronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
	hronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2